HUNIVERSE_DETAIL5

Business Rules	• Handler ID and Activity Location must exist in HREPORT_UNIV5.
	• Handler ID and Activity Location must be unique.

English Name	EPA Handler ID **(Primary Key)**
Oracle Name	HANDLER_ID
Description	Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).
Data Type and Length	VARCHAR2 (12)
Allowed Values	Valid ID as outlined below:
	The ID can be a minimum of 4 characters and a maximum of 12 characters.
	The first two characters must be a valid state postal code which corresponds to the state in which the handler is located.
	Spaces are not allowed.
Default Value	
Notes	Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name	Activity Location **(Primary Key)**
Oracle Name	ACTIVITY_LOCATION
Description	Indicates the location of the agency regulating the handler.
Data Type and Length	CHAR (2)
Allowed Values	State postal code
Default Value	Location associated with the current user ID.
Notes	For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name	Post-Closure Workload Land Disposal
Oracle Name	PC_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Post-Closure Workload universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Post-Closure Workload Incinerator
Oracle Name	PC_INCIN
Description	Flag indicating whether the facility is in the Post-Closure Workload universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Post-Closure Workload Boilers and Industrial Furnaces
Oracle Name	PC_BIF
Description	Flag indicating whether the facility is in the Post-Closure Workload universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Post-Closure Workload Storage
Oracle Name	PC_STORAGE
Description	Flag indicating whether the facility is in the Post-Closure Workload universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Post-Closure Workload Treatment
Oracle Name	PC_TREAT
Description	Flag indicating whether the facility is in the Post-Closure Workload universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Progress Land Disposal
Oracle Name	PP_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Permit Progress universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Permit Progress Incinerator
Oracle Name	PP_INCIN
Description	Flag indicating whether the facility is in the Permit Progress universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Progress Boilers and Industrial Furnaces
Oracle Name	PP_BIF
Description	Flag indicating whether the facility is in the Permit Progress universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Progress Storage
Oracle Name	PP_STORAGE
Description	Flag indicating whether the facility is in the Permit Progress universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Progress Treatment
Oracle Name	PP_TREAT
Description	Flag indicating whether the facility is in the Permit Progress universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Closure Workload Land Disposal
Oracle Name	CW_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Closure Workload universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Closure Workload Incinerator
Oracle Name	CW_INCIN
Description	Flag indicating whether the facility is in the Closure Workload universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Closure Workload Boilers and Industrial Furnaces
Oracle Name	CW_BIF
Description	Flag indicating whether the facility is in the Closure Workload universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Closure Workload Storage
Oracle Name	CW_STORAGE
Description	Flag indicating whether the facility is in the Closure Workload universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Closure Workload Treatment
Oracle Name	CW_TREAT
Description	Flag indicating whether the facility is in the Closure Workload universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Workload Land Disposal
Oracle Name	PW_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Permit Workload universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Workload Incinerator
Oracle Name	PW_INCIN
Description	Flag indicating whether the facility is in the Permit Workload universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y yes
Default Value	

English Name	Permit Workload Boilers and Industrial Furnaces
Oracle Name	PW_BIF
Description	Flag indicating whether the facility is in the Permit Workload universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Permit Workload Storage
Oracle Name	PW_STORAGE
Description	Flag indicating whether the facility is in the Permit Workload universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Workload Treatment
Oracle Name	PW_TREAT
Description	Flag indicating whether the facility is in the Permit Workload universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Full Enforcement Land Disposal
Oracle Name	FE_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Full Enforcement universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Full Enforcement Incinerator
Oracle Name	FE_INCIN
Description	Flag indicating whether the facility is in the Full Enforcement universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Full Enforcement Boilers and Industrial Furnaces
Oracle Name	FE_BIF
Description	Flag indicating whether the facility is in the Full Enforcement universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Full Enforcement Storage
Oracle Name	FE_STORAGE
Description	
Data Type and Length	CHAR (1)
Allowed Values	Flag indicating whether the facility is in the Full Enforcement universe as a Storage facility.
	N No
	Y Yes
Default Value	

English Name	Full Enforcement Treatment
Oracle Name	FE_TREAT
Description	Flag indicating whether the facility is in the Full Enforcement universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Operating TSDF Land Disposal
Oracle Name	OT_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Operating TSDF universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Operating TSDF Incinerator
Oracle Name	OT_INCIN
Description	Flag indicating whether the facility is in the Operating TSDF universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Operating TSDF Boilers and Industrial Furnaces
Oracle Name	OT_BIF
Description	Flag indicating whether the facility is in the Operating TSDF universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Operating TSDF Storage
Oracle Name	OT_STORAGE
Description	Flag indicating whether the facility is in the Operating TSDF universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Operating TSDF Treatment
Oracle Name	OT_TREAT
Description	Flag indicating whether the facility is in the Operating TSDF universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Used Oil Transporter
Oracle Name	UO_TRANSPORTER
Description	Flag indicating whether the facility is in the Used Oil Transporter universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Used Oil Transfer Facility
Oracle Name	UO_TRANS_FACILITY
Description	Flag indicating whether the facility is in the Used Oil Transfer Facility universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Used Oil Processor
Oracle Name	UO_PROCESSOR
Description	Flag indicating whether the facility is in the Used Oil Processor universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Used Oil Refiner
Oracle Name	UO_REFINER
Description	Flag indicating whether the facility is in the Used Oil Refiner universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Used Oil Burner
Oracle Name	UO_BURNER
Description	Flag indicating whether the facility is in the Used Oil Burner universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Used Oil Market Burner
Oracle Name	UO_MARKET_BURNER
Description	Flag indicating whether the facility is in the Used Oil Market Burner universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Used Oil Specification Marketer
Oracle Name	UO_SPEC_MARKETER
Description	Flag indicating whether the facility is in the Used Oil Specification Marketer universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site Handler Activities
Oracle Name	AS_HANDLER_ACTIVITIES
Description	Flag indicating whether the facility is in the Active Site universe because it is in a Handler universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Active Site Federally Regulated Treatment, Storage, and Disposal Facility
Oracle Name	AS_FEDERAL
Description	Flag indicating whether the facility is in the Active Site Federally Regulated Treatment, Storage, and Disposal Facility universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site Corrective Action Workload
Oracle Name	AS_CAWRKLD
Description	Flag indicating whether the facility is in the Active Site universe because it is in the Corrective Action Workload universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site Converter
Oracle Name	AS_CONVERTER
Description	Flag indicating whether the facility is in the Active Site Converter universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site State Activities
Oracle Name	AS_STATE_ACTIVITIES
Description	Flag indicating whether the facility is in the Active Site universe because it has a State Activity which indicates that the site is active.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Active Site Federally Regulated Land Disposal
Oracle Name	AS_FED_REG_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Active Site Federally Regulated Treatment, Storage, and Disposal Facility universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site Federally Regulated Incinerator
Oracle Name	AS_FED_REG_INCIN
Description	Flag indicating whether the facility is in the Active Site Federally Regulated Treatment, Storage, and Disposal Facility universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site Federally Regulated Boilers and Industrial Furnaces
Oracle Name	AS_FED_REG_BIF
Description	Flag indicating whether the facility is in the Active Site Federally Regulated Treatment, Storage, and Disposal Facility universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site Federally Regulated Storage
Oracle Name	AS_FED_REG_STORAGE
Description	Flag indicating whether the facility is in the Active Site Federally Regulated Treatment, Storage, and Disposal Facility universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Active Site Federally Regulated Treatment
Oracle Name	AS_FED_REG_TREAT
Description	Flag indicating whether the facility is in the Active Site Federally Regulated Treatment, Storage, and Disposal Facility universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site State Regulated Land Disposal
Oracle Name	AS_STATE_REG_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Active Site State Regulated Treatment, Storage, and Disposal Facility universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site State Regulated Incinerator
Oracle Name	AS_STATE_REG_INCIN
Description	Flag indicating whether the facility is in the Active Site State Regulated Treatment, Storage, and Disposal Facility universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site State Regulated Boilers and Industrial Furnaces
Oracle Name	AS_STATE_REG_BIF
Description	Flag indicating whether the facility is in the Active Site State Regulated Treatment, Storage, and Disposal Facility universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Active Site State Regulated Storage
Oracle Name	AS_STATE_REG_STORAGE
Description	Flag indicating whether the facility is in the Active Site State Regulated Treatment, Storage, and Disposal Facility universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site State Regulated Treatment
Oracle Name	AS_STATE_REG_TREAT
Description	Flag indicating whether the facility is in the Active Site State Regulated Treatment, Storage, and Disposal Facility universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site State Regulated Waste Generator
Oracle Name	AS_STATE_REG_WASTE_GEN
Description	Flag indicating whether the facility is in the Active Site State Regulated Waste Generator universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site State Regulated Universal Waste
Oracle Name	AS_STATE_REG_UNIV_WASTE
Description	Flag indicating whether the facility is in the Active Site State Universal Waste universe.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Active Site State Regulated TSDF Activity
Oracle Name	AS_STATE_REG_ACTIVITY
Description	Flag indicating whether the facility is in the Active Site State Regulated Treatment, Storage, and Disposal Facility universe.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site Converter Land Disposal
Oracle Name	AS_CONV_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Active Site Converter universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site Converter Incinerator
Oracle Name	AS_CONV_INCIN
Description	Flag indicating whether the facility is in the Active Site Converter universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Active Site Converter Boilers and Industrial Furnaces
Oracle Name	AS_CONV_BIF
Description	Flag indicating whether the facility is in the Active Site Converter universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Active Site Converter Storage
Oracle Name	AS_CONV_STORAGE
Description	Flag indicating whether the facility is in the Active Site Converter universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Active Site Converter Treatment
Oracle Name	AS_CONV_TREAT
Description	Flag indicating whether the facility is in the Active Site Converter universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Renewal Workload Land Disposal
Oracle Name	PR_LAND_DISPOSAL
Description	Flag indicating whether the facility is in the Permit Renewal Workload universe as a Land Disposal facility.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

English Name	Permit Renewal Workload Incinerator
Oracle Name	PR_INCIN
Description	Flag indicating whether the facility is in the Permit Renewal Workload universe as an Incinerator.
Data Type and Length	CHAR (1)
Allowed Values	N No
	Y Yes
Default Value	

HUNIVERSE_DETAIL5

English Name	Permit Renewal Workload Boilers and Industrial Furnaces
Oracle Name	PR_BIF
Description	Flag indicating whether the facility is in the Permit Renewal Workload universe as a Boiler and/or Industrial Furnace.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Permit Renewal Workload Storage
Oracle Name	PR_STORAGE
Description	Flag indicating whether the facility is in the Permit Renewal Workload universe as a Storage facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	Permit Renewal Workload Treatment
Oracle Name	PR_TREAT
Description	Flag indicating whether the facility is in the Permit Renewal Workload universe as a Treatment facility.
Data Type and Length	CHAR (1)
Allowed Values	N No Y Yes
Default Value	

English Name	User ID of Last Change
Oracle Name	USERID
Description	Records the user ID of the last person to change the data.
Data Type and Length	CHAR (6)
Allowed Values	Valid user ID
Default Value	Current user ID

HUNIVERSE_DETAIL5

English Name   Date of Last Change
Oracle Name   LAST_CHANGE
Description   Records the date that the data was last changed.
Data Type and Length DATE
Allowed Values   Valid date/time stamp
Default Value   Current date and time

* End of Report *